ELSEVIER Computational Statistics & Data Analysis 20(1995) 717–719

COMPUTATIONAL STATISTICS & DATA ANALYSIS

Author Index Volume 20 (1995)

(The issue number is given in front of page numbers.)

Andres, T.H., *see* **A. Saltelli** (4) 387–407
Bello, A.L., Imputation techniques in regression analysis: Looking closely at their implementation** (1) 45– 57
Black, S. and **H. Mansouri**, On exact distributions of rank tests for ordered alternatives in block designs* (3) 265–275
Bradu, D. and **D.M. Hawkins**, An Anscombe type robust regression statistic* (4) 355–386
Buonaccorsi, P., *see* **B.D. Jovanovic** (1) 59– 64
Cao, R., A. Cuevas and **R. Fraiman**, Minimum distance density-based estimation* (6) 611–631
Carrizosa, E. and **F. Plastria**, The determination of a least quantile of squares regression line" for all quantiles (5) 467–479
Castillo, E. and **A.S. Hadi**, A method for estimating parameters and quantiles of distributions of continuous random variables** (4) 421–439
Cesare, L.D. and **D. Posa**, A simulation technique of a non-Gaussian spatial process** (5) 543–555
Chattamvelli, R., On the doubly noncentral F distribution (5) 481–489
Chen, M.H., *see* **P.C. Wang** (6) 689–695
Cuevas, A., *see* **R. Cao** (6) 611–631
Dielman, T.E. and **E.L. Rose**, A bootstrap approach to hypothesis testing in least absolute value regression (2) 119–130
Dyer, D. and **R.L. Pierce**, Bayesian HPM intervals for the number of nonconforming items in a lot* (2) 159–172
Edwards, L.J. and **S.A. Hamilton**, Errors-in-variables and the Box-Cox transformation (2) 131–140
El Tohamy, F., *see* **M. Zaki** (1) 75– 97
Elson, P.J., Use of the fast fourier transform algorithm in the calculation of the operating characteristics of group sequential clinical trials (5) 491–498
Fernandez, J.M.V., *see* **W.G. Manteiga** (5) 521–541
Fraiman, R., *see* **R. Cao** (6) 611–631
Fung, W.K., Detecting influential observations for estimated probabilities in multiple discriminant analysis** (5) 557–568
Granville, V. and **J.P. Rasson**, Bayesian filtering and supervised classification in image remote sensing** (2) 203–225

* Appeared in Section II
** Appeared in Section III
All others: Appeared in Section I

0167-9473/95/$09.50 © 1995 Elsevier Science B.V. All rights reserved

Grechanovsky, E. and **I. Pinsker,** Conditional *p*- values for the *F*-statistic in a forward selection procedure (3) 239–263
Hadi, A.S., *see* **E. Castillo** (4) 421–439
Hamilton, S.A., *see* **L.J. Edwards** (2) 131–140
Hardle, W. and **J.S. Marron,** Fast and simple scatterplot smoothing (1) 1– 17
Hassan, A., *see* **M. Zaki** (1) 75– 97
Hauser, M.A. and **E. Reschenhofer,** Estimation of the fractionally differencing parameter with the R/S method** (5) 569–579
Hawkins, D.M., *see* **D. Bradu** (4) 355–386
Hirose, H., Maximum likelihood parameter estimation in the three-parameter gamma distribution (4) 343–354
Hitier, S., *see* **F. Kazi-Aoual** (6) 643–656
Homma, T., *see* **A. Saltelli** (4) 387–407
Hosmer, D.W., *see* **B.D. Jovanovic** (1) 59– 64
Jolayemi, J.K., A power function model for determining sample sizes for the operations of multivariate control charts* (6) 633–641
Jovanovic, B.D., D.W. Hosmer and **P. Buonaccorsi,** Equivalence of several methods for efficient best subsets selection in generalized linear models** (1) 59– 64
Kazi-Aoual, F., S. Hitier, R. Sabatier and **J.-D. Lebreton,** Refined approximations to permutation tests for multivariate inference* (6) 643–656
Lebreton, J.-D., *see* **F. Kazi-Aoual** (6) 643–656
Lee, S.-Y. and **W.-Y. Poon,** Estimation of factor scores in a two-level confirmatory factor analysis model* (3) 275–284
Lei, X., Y.B. Peng and **F.T. Wright,** Testing homogeneity of normal means with a simply ordered alternative and dependent observations* (2) 173–183
Liu, W., Fixed-width simultaneous confidence intervals for all-pairwise comparisons* (1) 35– 44
Luceño, A., A family of partially correlated Poisson models for overdispersion* (5) 511–520
Lumley, T., Efficient execution of Stone's likelihood ratio tests for disease clustering (5) 499–510
Madan, V.K. and **R.K. Sinha,** Digital smoothing of census data employing Fourier transforms* (3) 285–294
Mansouri, H., *see* **S. Black*** (3) 265–275
Manteiga, W.G. and **J.M.V. Fernandez,** Testing linear regression models using non-parametric regression estimators when errors are non-independent* (5) 521–541
Marron, J.S., *see* **W. Hardle** (1) 1– 17
Neytchev, P.N., SWEEP operator for least-squares subject to linear constraints (6) 599–609
Öfversten, J., Estimation in mixed models via layer triangular transformation* (6) 657–667
Oman, S.D., Checking the assumptions in mixed- model analysis of variance: a residual analysis approach** (3) 309–330
Peng, Y.B., *see* **X. Lei** (2) 173–183
Pierce, R.L., *see* **D. Dyer** (2) 159–172
Pinsker, I., *see* **E. Grechanovsky** (3) 239–263
Plastria, F., *see* **E. Carrizosa** (5) 467–479
Polzehl, J., Projection pursuit discriminant analysis (2) 141–157
Poon, W.-Y., *see* **S.-Y. Lee** (3) 275–284
Posa, D., *see* **L.D. Cesare** (5) 543–555
Posse, C., Projection pursuit exploratory data analysis* (6) 669–687
Rasch, D., The robustness against parameter variation of exact locally optimum designs in nonlinear regression – a case study** (4) 441–453
Rasson, J.P., *see* **V. Granville** (2) 203–225
Reschenhofer, E., *see* **M.A. Hauser** (5) 569–579
Ritov, Y., PM algorithms for calculating minimum χ^2 estimators with partially observed sub-tables (1) 19– 33
Rose, E.L., *see* **T.E. Dielman** (2) 119–130

Sabatier, R., *see* **F. Kazi-Aoual** (6) 643–656
Saltelli, A., T.H. Andres and **T. Homma,** Sensitivity analysis of model output. Performance of the iterated fractional factorial design method* (4) 387–407
Schmid, F. and **M. Trede,** A distribution free test for the two sample problem for general alternatives* (4) 409–419
Schröer, G. and **D. Trenkler,** Exact and randomization distributions of Kolmogorov–Smirnov tests two or three samples* (2) 185–202
Sinha, R.K., *see* **V.K. Madan** (3) 285–294
Trede, M., *see* **F. Schmid** (4) 409–419
Trenkler, D., *see* **G. Schröer** (2) 185–202
Wang, P.C., M.H. Chen and **S.C. Wei.,** To analyze binary data from mixed-level orthogonal arrays* (6) 689–695
Wang, S., One-step saddlepoint approximations for quantiles** (1) 65– 74
Wei, S.C., *see* **P.C. Wang** (6) 689–695
Winker, P., Identification of multivariate AR-models by threshold accepting* (3) 295–307
Wright, F.T., *see* **X. Lei** (2) 173–183
Zaki, M., F. El Tohamy and **A. Hassan,** Landsat image interpretation* (1) 75– 97